

## DAFTAR PUSTAKA

- [1] Nekouei, R. K., F. Rashchi, and A. A. Amadeh. 2013. *Using Design of Experiments in Synthesis of Ultra-fine Copper Particles by Electrolysis*, *Powder Technology* 237, hal. 165-171.
- [2] Nekouei, R. K., F. Rashchi, and A. A. Amadeh. 2013. *Copper Nanopowder Synthesis by Electrolysis Method in Nitrate and Sulfate Solutions*, *Powder Technology* 250, hal. 91-96.
- [3] Xue, J., Q. Wu, Z. Wang, and S. Yi. 2006. *Function of Additives in Electrolytic Preparation of Copper Powder Hydrometallurgy* 82, hal. 154-156.
- [4] S.E. Afifi, A.A. Elsayed and A. E Elsherief. 1987. *Additive Behavior in Copper Electrorefining*, *JOM*, 39, pp. 38-41.
- [5] German, M.R. 1994. *Powder Metallurgy Science*, *Metal Powder Industrie Federation*. New Jersey.
- [6] R, Rejeesh C. 2014. *Powder Metallurgy*. <https://www.slideshare.net/rejeeshcrajendran/module-iii-32259859>. (27 Juli 2019).
- [7] ASM Handbook. 1998. *Powder Metal Technologies and Applications*. Volume 7, ASM
- [8] Iqbal, M. 2017. Laporan Tugas Akhir: Studi Distribusi Ukuran Butiran pada Elektrolisis Serbuk Tembaga dalam Larutan Sulfat. Program Studi Teknik Metalurgi dan Material, Institut Teknologi Sains Bandung.
- [9] MacInnes, Dugan A. And Leon Adler. 1918. *Hydrogen Overvoltage*, Chemical Laboratory of The University of Illinois, hal 194-207.
- [10] Mubarok, M. Zaki., Lucky Nugroho Aji, dan Soleh Wahyudi. 2017. Sintesis Serbuk Tembaga dengan Metode Elektrolisis: Studi Perilaku Elektrokimia dan Karakterisasi Serbuk, Seminar Nasional Metalurgi dan Material X 2017, hal. 623-632.
- [11] Murai, K., Watanabe, Y., Saito, Y., Nakayama, T., Suematsu. H., Jiang, W., Yatsui, K., Shim, K. B., and Njihara, K. 2017. *Preparation of Copper Nanoparticles with an Organic Coating by Pulsed Wire Discharge Method*, *Journal of Ceramic Processing Research* Vol 8, No. 2, pp. 114 – 118.

- [12] Yudhi, Ariadi. 2009. *Design Templates for Consumer use in Customising Additive Layer Manufactured Products*, The 9th National Conference on Rapid Design, Prototyping and Manufacturing.
- [13] A. Szymaszek, J. Biernat and L. Pajdowski. 1977. *Polarographic Studies on the Effect of Thiourea on Deposition of Copper in the Presence of 2M H<sub>2</sub>SO<sub>4</sub>*. *Electrochim. Acta*, 22, pp. 359-364.
- [14] E.E. Farndon, F.C. Walsh and S. A. Campbell. 1995. *Effect of Thiourea, Benzotriazole and 4,5-Dithiaoctane- 1,8-Disulphonic Acid on the Kinetics of Copper Deposition from Dilute Acid Sulphate Solutions*. *J. Appl. Electrochem*, 25, pp. 574-583.
- [15] Razi. 2012. SEM (Scanning Electron Microscope). <http://zaidanalrazi.blogspot.com/2012/04/sem-scanning-electron-microscope.html>. (3 Agustus 2019).
- [16] Joel. JSM-7500F. <https://www.jeol.co.jp/en/products/detail/JSM-7500F.html>. (3 Agustus 2019).
- [17] Kuniawan, Candra., T. B. Waluyo., dan P. Sebayang. 2011. Analisis Ukuran Partikel Menggunakan *Free Software Image-J*, Seminar Nasional Fisika 2011, hal. 1-8.
- [18] Nurul, Ratih. 2015. *Energy Dispersive X-ray*, Universitas Negeri Yogyakarta, hal. 1-13.
- [19] Saryanto, Hendi. 2013. Teori Dasar *X-Ray Diffraction (XRD)*. <http://fathul-ilmi.blogspot.com/2013/09/teori-dasar-x-ray-diffraction-xrd.html>. (3 Agustus 2019).
- [20] Lab. UPP - IPD - FMIPA- UI. XRD – Alat & Jenis Sampel. <http://lsfmipaui.blogspot.com/2017/03/xrd-alat-jenis-sampel.html>. (3 Agustus 2019).
- [21] Software for Scientist. <http://www.crystalimpact.com/match/>. (3 Agustus 2019).
- [22] Selvia, Dana. 2014. Makalah: Metalurgi Serbuk, Jurusan Teknik Industri, Fakultas Teknik, Universitas Andalas.
- [23] Anggraeni, Feby. 2010. Laporan Tugas Akhir: Pengaruh Konsentrasi Thiourea pada Efisiensi Arus dan Kebutuhan Energi Elektrorefining Tembaga di PT

Smelting Gresik, Program Studi Teknik Metalurgi, Fakultas Teknik Pertambangan dan Perminyakan, Institut Teknologi Bandung.

[24] Hartono, S. A. Widiyanto, S. Nugroho. 2011. Pembuatan Serbuk Tembaga dengan Proses Endapan Elektrolisis Metode *Electrorefining*. Jurusan Teknik Mesin Politeknik Negeri Semarang, hal. 47-52.