

DAFTAR PUSTAKA

- [1] Mangalam, J., Kumar, M., Sharma, M., & Joshi, M. (2019). High adsorptivity and visible light assisted photocatalytic activity of silver/reduced graphene oxide (Ag/rGO) nanocomposite for wastewater treatment. *Nano-Structures and Nano-Objects*, 17, 58–66. <https://doi.org/10.1016/j.nanoso.2018.11.003>
- [2] Al-Baldawi, I. A., Abdullah, S. R. S., Almansoori, A. F., Ismail, N. 'Izzati, Hasan, H. A., & Anuar, N. (2020). Role of *Salvinia molesta* in biodecolorization of methyl orange dye from water. *Scientific Reports*, 10(1), 1–9. <https://doi.org/10.1038/s41598-020-70740-5>
- [3] Ngoepe, N. M., Hato, M. J., Modibane, K. D., & Hintsho-Mbita, N. C. (2020). Biogenic Synthesis of Metal Oxide Nanoparticle Semiconductors for Wastewater Treatment. *Photocatalysts in Advanced Oxidation Processes for Wastewater Treatment*, 1–31. <https://doi.org/10.1002/9781119631422.ch1>
- [4] Shan, R., Lu, L., Gu, J., Zhang, Y., Yuan, H., Chen, Y., & Luo, B. (2020). Photocatalytic degradation of methyl orange by Ag/TiO₂/biochar composite catalysts in aqueous solutions. *Materials Science in Semiconductor Processing*, 114(April), 105088. <https://doi.org/10.1016/j.mssp.2020.105088>
- [5] Borthakur, P., Boruah, P. K., Hussain, N., Silla, Y., & Das, M. R. (2017). Specific ion effect on the surface properties of Ag/reduced graphene oxide nanocomposite and its influence on photocatalytic efficiency towards azo dye degradation. *Applied Surface Science*, 423, 752–761. <https://doi.org/10.1016/j.apsusc.2017.06.230>
- [6] Han, T., Zheng, J., Han, Y., Xu, X., Li, M., Schwarz, C., & Zhu, L. (2021). Comprehensive insights into core microbial assemblages in activated sludge exposed to textile-dyeing wastewater stress. *Science of the Total Environment*, 791(866), 148145. <https://doi.org/10.1016/j.scitotenv.2021.148145>
- [7] Rani, B., Thamizharasan, G., & Nayak, A. K. (2020). *Degradation Mechanism of Organic Dyes by Effective Transition Metal Oxide*. 197–228.
- [8] Xie, S., Huang, P., Kruzic, J. J., Zeng, X., & Qian, H. (2016). A highly efficient degradation mechanism of methyl orange using Fe-based metallic glass powders. *Scientific Reports*, 6(February), 1–10. <https://doi.org/10.1038/srep21947>

- [9] Alghamdi, A. A., Al-Odayni, A. B., Saeed, W. S., Almutairi, M. S., Alharthi, F. A., Aouak, T., & Al-Kahtani, A. (2019). Adsorption of azo dye methyl orange from aqueous solutions using alkali-activated polypyrrole-based graphene oxide. *Molecules*, 24(20). <https://doi.org/10.3390/molecules24203685>
- [10] Shah, S. S., Sharma, T., Dar, B. A., & Bamezai, R. K. (2021). Adsorptive removal of methyl orange dye from aqueous solution using populus leaves: Insights from kinetics, thermodynamics and computational studies. *Environmental Chemistry and Ecotoxicology*, 3, 172–181. <https://doi.org/10.1016/j.enceco.2021.05.002>
- [11] Ghime, D., & Gosh, P. (2020). Advanced Oxidation Processes : A Powerful Treatment Option for the Removal of Recalcitrant Organic Compounds. *IntechOpen*.
- [12] da Silva, W. L., Druzian, D. M., Oviedo, L. R., Muraro, P. C. L., & Oviedo, V. R. (2021). Silver Nanoparticles for Photocatalysis and Biomedical Applications. *Intech*. <https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics>
- [13] Seddigi, Z. S., Ahmed, S. A., Ansari, S. P., Danish, E., Abu Alkibash, A., & Ahmed, S. (2013). Kinetics and photodegradation study of aqueous methyl tert - butyl ether using zinc oxide: The effect of particle size. *International Journal of Photoenergy*, 2013. <https://doi.org/10.1155/2013/206129>
- [14] Guan, S.-H., Zhao, K.-F., Tong, Q., Rao, Q.-X., Cheng, L., Song, W., Zhang, Q.-C., Wang, X.-L., & Song, W.-G. (2021). A review of photocatalytic materials application on nonylphenol degradation. *Environmental Challenges*, 4(March), 100172. <https://doi.org/10.1016/j.envc.2021.100172>
- [15] Li, Y., Li, X., Li, J., & Yin, J. (2006). Photocatalytic degradation of methyl orange by TiO₂-coated activated carbon and kinetic study. *Water Research*, 40(6), 1119–1126. <https://doi.org/10.1016/j.watres.2005.12.042>
- [16] Wang, W., Qiao, Z., Lee, G. J., Chen, H., Ding, L., Zhu, M., Liu, N., & Wu, J. J. (2020). Preparation of ternary photocatalysts and their application in the degradation of 1,4-dioxane using O₃/UV/photocatalyst process. *Separation and Purification Technology*, 235(July 2019), 116194. <https://doi.org/10.1016/j.seppur.2019.116194>
- [17] Piler, K., Bahrim, C., Twagirayezu, S., & Benson, T. J. (2020). Lattice disorders of TiO₂ and their significance in the photocatalytic conversion of CO₂. *Advances in Catalysis*, 66, 109–233. <https://doi.org/10.1016/bs.acat.2020.09.001>
- [18] Dimiev, A. M., Shukhina, K., & Khannanov, A. (2020). Mechanism of the graphene

- oxide formation. The role of water, “reversibility” of the oxidation, and mobility of the C–O bonds. *Carbon*, 166, 1–14. <https://doi.org/10.1016/j.carbon.2020.05.005>
- [19] Ray, S. C. (2015). Application and Uses of Graphene Oxide and Reduced Graphene Oxide. *Applications of Graphene and Graphene-Oxide Based Nanomaterials*, ii, 39–55. <https://doi.org/10.1016/b978-0-323-37521-4.00002-9>
- [20] Suresh, R., Mangalaraja, R. V, Mansilla, H. D., Santander, P., & Yáñez, J. (2020). Reduced Graphene Oxide-Based Photocatalysis. *Green Photocatalysts*. <https://doi.org/10.1007/978-3-030-15608-4>
- [21] Chen, J., Zhang, Y., Zhang, M., Yao, B., Li, Y., Huang, L., Li, C., & Shi, G. (2016). Water-enhanced oxidation of graphite to graphene oxide with controlled species of oxygenated groups. *Chemical Science*, 7(3), 1874–1881. <https://doi.org/10.1039/c5sc03828f>
- [22] Wang, H., Zhang, Y., Xu, X., Yang, F., Li, K., & Wei, D. (2020). *Efficient loading of silver nanoparticles on graphene oxide and its antibacterial properties*. <https://doi.org/10.1088/2632-959X/ab9546>
- [23] Dimiev, A. M., Tour, J. M., Science, M., Science, C., Science, N., Street, M., States, U., Materials, A. Z. E., Avenue, M., & States, U. (2014). *Terms of Use Mechanism of Graphene Oxide*. 3, 3060–3068.
- [24] Sharma, Aditi, Bhardwaj, U., & Kushwaha, H. S. (2021). Efficient visible-light photocatalytic degradation of toxics by using Sr₂TiMnO₆-rGO composite for the wastewater treatment. *Cleaner Engineering and Technology*, 2(March), 100087. <https://doi.org/10.1016/j.clet.2021.100087>
- [25] Sharma, Ajit, & Lee, B. K. (2016). Integrated ternary nanocomposite of TiO₂/NiO/reduced graphene oxide as a visible light photocatalyst for efficient degradation of o-chlorophenol. *Journal of Environmental Management*, 181, 563–573. <https://doi.org/10.1016/j.jenvman.2016.07.016>
- [26] Zhu, J., Zhu, Z., Zhang, H., Lu, H., Zhang, W., Qiu, Y., Zhu, L., & Küppers, S. (2018). Calcined layered double hydroxides/reduced graphene oxide composites with improved photocatalytic degradation of paracetamol and efficient oxidation-adsorption of As(III). *Applied Catalysis B: Environmental*, 225(Iii), 550–562. <https://doi.org/10.1016/j.apcatb.2017.12.003>
- [27] Yang, Y., Zhang, W., Liu, R., Cui, J., & Deng, C. (2018). Preparation and photocatalytic properties of visible light driven Ag-AgBr-RGO composite.

- Separation and Purification Technology*, 190(August 2017), 278–287.
<https://doi.org/10.1016/j.seppur.2017.09.003>
- [28] Chen, C., Zhang, Y., Zeng, J., Zhang, F., Zhou, K., Bowen, C. R., & Zhang, D. (2017). Aligned macroporous TiO₂/chitosan/reduced graphene oxide (rGO) composites for photocatalytic applications. *Applied Surface Science*, 424, 170–176.
<https://doi.org/10.1016/j.apsusc.2017.02.137>
- [29] Aleksandrak, M., Kukulka, W., & Mijowska, E. (2017). Graphitic carbon nitride/graphene oxide/reduced graphene oxide nanocomposites for photoluminescence and photocatalysis. *Applied Surface Science*, 398, 56–62.
<https://doi.org/10.1016/j.apsusc.2016.12.023>
- [30] Siwińska-Stefańska, K., Fluder, M., Tylus, W., & Jesionowski, T. (2018). Investigation of amino-grafted TiO₂/reduced graphene oxide hybrids as a novel photocatalyst used for decomposition of selected organic dyes. *Journal of Environmental Management*, 212, 395–404.
<https://doi.org/10.1016/j.jenvman.2018.02.030>
- [31] Prabhu, S., Pudukudy, M., Sohila, S., Harish, S., Navaneethan, M., & Navaneethan, D. (2018). Synthesis, structural and optical properties of ZnO spindle / reduced graphene oxide composites with enhanced photocatalytic activity under visible light irradiation. *Optical Materials*, 79, 186–195.
<https://doi.org/10.1016/j.optmat.2018.02.061>
- [32] Ramos, P. G., Luyo, C., Sánchez, L. A., Gomez, E. D., & Rodriguez, J. M. (2020). The spinning voltage influence on the growth of zno-rGO nanorods for photocatalytic degradation of methyl orange dye. *Catalysts*, 10(6).
<https://doi.org/10.3390/catal10060660>
- [33] Kocijan, M., Ćurković, L., Ljubas, D., Mužina, K., Bačić, I., Radošević, T., Podlogar, M., Bdikin, I., Otero-Irurueta, G., Hortigüela, M. J., & Gonçalves, G. (2021). Graphene-based TiO₂ nanocomposite for photocatalytic degradation of dyes in aqueous solution under solar-like radiation. *Applied Sciences (Switzerland)*, 11(9), 1–15. <https://doi.org/10.3390/app11093966>
- [34] Bhunia, S. K., & Jana, N. R. (2014). Reduced graphene oxide-silver nanoparticle composite as visible light photocatalyst for degradation of colorless endocrine disruptors. *ACS Applied Materials and Interfaces*, 6(22), 20085–20092.
<https://doi.org/10.1021/am505677x>
- [35] Wu, H., Lin, S., Chen, C., Liang, W., Liu, X., & Yang, H. (2016). A new

- ZnO/rGO/polyaniline ternary nanocomposite as photocatalyst with improved photocatalytic activity. *Materials Research Bulletin*, 83, 434–441.
<https://doi.org/10.1016/j.materresbull.2016.06.036>
- [36] Vasilaki, E., Georgaki, I., Vernardou, D., Vamvakaki, M., & Katsarakis, N. (2015). Ag-loaded TiO₂/reduced graphene oxide nanocomposites for enhanced visible-light photocatalytic activity. *Applied Surface Science*, 353, 865–872.
<https://doi.org/10.1016/j.apsusc.2015.07.056>
- [37] Raliya, R., Avery, C., Chakrabarti, S., & Biswas, P. (2017). Photocatalytic degradation of methyl orange dye by pristine titanium dioxide, zinc oxide, and graphene oxide nanostructures and their composites under visible light irradiation. *Applied Nanoscience (Switzerland)*, 7(5), 253–259. <https://doi.org/10.1007/s13204-017-0565-z>
- [38] Hemmati, S., Heravi, M. M., Karmakar, B., & Veisi, H. (2020). Green fabrication of reduced graphene oxide decorated with Ag nanoparticles (rGO/Ag NPs) nanocomposite: A reusable catalyst for the degradation of environmental pollutants in aqueous medium. *Journal of Molecular Liquids*, 319, 114302.
<https://doi.org/10.1016/j.molliq.2020.114302>
- [39] Krishnamoorthy, K., Veerapandian, M., Yun, K., & Kim, S. (2012). The chemical and structural analysis of graphene oxide with different degrees of oxidation. *Carbon*, 53, 38–49. <https://doi.org/10.1016/j.carbon.2012.10.013>
- [40] Arthi G, P. B., & BD, L. (2015). A Simple Approach to Stepwise Synthesis of Graphene Oxide Nanomaterial. *Journal of Nanomedicine & Nanotechnology*, 06(01), 1–4. <https://doi.org/10.4172/2157-7439.1000253>
- [41] Jurkiewicz, K., Pawlyta, M., & Burian, A. (2018). Structure of Carbon Materials Explored by Local Transmission Electron Microscopy and Global Powder Diffraction Probes. *C*, 4(4), 68. <https://doi.org/10.3390/c4040068>
- [42] Stobinski, L., Lesiak, B., Malolepszy, A., Mazurkiewicz, M., Mierzwa, B., Zemek, J., Jiricek, P., & Bieloshapka, I. (2014). Graphene oxide and reduced graphene oxide studied by the XRD, TEM and electron spectroscopy methods. *Journal of Electron Spectroscopy and Related Phenomena*, 195, 145–154.
<https://doi.org/10.1016/j.elspec.2014.07.003>
- [43] Kavinkumar, T., Varunkumar, K., Ravikumar, V., & Manivannan, S. (2017). Anticancer activity of graphene oxide-reduced graphene oxide-silver nanoparticle composites *Journal of Colloid and Interface Science* Anticancer activity of graphene

- oxide-reduced graphene oxide-silver nanoparticle composites. *Journal of Colloid And Interface Science*, 505(December), 1125–1133.
- [44] Deepi, A., Srikesh, G., & Nesaraj, A. S. (2018). One pot reflux synthesis of reduced graphene oxide decorated with silver/cobalt oxide: A novel nano composite material for high capacitance applications. *Ceramics International*, 44(16), 20524–20530. <https://doi.org/10.1016/j.ceramint.2018.08.049>
- [45] Madhuri, D. R., Kavyashree, K., Lamani, A. R., Jayanna, H. S., Nagaraju, G., & Mundinamani, S. (2021). Materials Today : Proceedings Reduction of graphene oxide by *Phyllanthus Emblica* as a reducing agent – A green approach for supercapacitor application. *Materials Today: Proceedings*, xxxx. <https://doi.org/10.1016/j.matpr.2021.06.173>
- [46] Nugraheni, A. Y., Jayanti, D. N., Kurniasari, Soontaranon, S., Rachman Putra, E. G., & Darminto. (2017). Structural Analysis on Reduced Graphene Oxide Prepared from Old Coconut Shell by Synchrotron X-Ray Scattering. *IOP Conference Series: Materials Science and Engineering*, 196(1). <https://doi.org/10.1088/1757-899X/196/1/012007>
- [47] Pusty, M., Rana, A. K., Kumar, Y., Sathe, V., Sen, S., & Shirage, P. (2016). Synthesis of Partially Reduced Graphene Oxide/Silver Nanocomposite and Its Inhibitive Action on Pathogenic Fungi Grown Under Ambient Conditions. *ChemistrySelect*, 1(14), 4235–4245. <https://doi.org/10.1002/slct.201600783>
- [48] Anandalakshmi, K., Venugobal, J., & Ramasamy, V. (2016). Characterization of silver nanoparticles by green synthesis method using *Pedalium murex* leaf extract and their antibacterial activity. *Applied Nanoscience (Switzerland)*, 6(3), 399–408. <https://doi.org/10.1007/s13204-015-0449-z>
- [49] Yu, M., Yu, T., Chen, S., Guo, Z., & Seok, I. (2020). A Facile Synthesis of Ag/TiO₂/rGO Nanocomposites with Enhanced Visible Light Photocatalytic Activity. *ES Materials & Manufacturing*, 64–69. <https://doi.org/10.30919/esmm5f712>
- [50] Kumari, S., Sharma, P., Yadav, S., Kumar, J., Vij, A., Rawat, P., Kumar, S., Sinha, C., Bhattacharya, J., Srivastava, C. M., & Majumder, S. (2020). A Novel Synthesis of the Graphene Oxide-Silver (GO-Ag) Nanocomposite for Unique Physiochemical Applications. <https://doi.org/10.1021/acsomega.9b03976>
- [51] Ikram, M., Raza, A., Imran, M., Ul-Hamid, A., Shahbaz, A., & Ali, S. (2020). Hydrothermal Synthesis of Silver Decorated Reduced Graphene Oxide (rGO)

- Nanoflakes with Effective Photocatalytic Activity for Wastewater Treatment. *Nanoscale Research Letters*, 15(1), 0–10. <https://doi.org/10.1186/s11671-020-03323-y>
- [52] Liu, G. F., Huang, L. J., Wang, Y. X., Tang, J. G., Wang, Y., Cheng, M. M., Zhang, Y., Kipper, M. J., Belfiore, L. A., & Ranil, W. S. (2017). Preparation of a graphene/silver hybrid membrane as a new nanofiltration membrane. *RSC Advances*, 7(77), 49159–49165. <https://doi.org/10.1039/c7ra07904d>
- [53] Arabpour, A., Dan, S., & Hashemipour, H. (2021). Preparation and optimization of novel graphene oxide and adsorption isotherm study of methylene blue. *Arabian Journal of Chemistry*, 14(3), 103003. <https://doi.org/10.1016/j.arabjc.2021.103003>
- [54] Russo, C., Stanzione, F., Alfè, M., Ciajolo, A., & Tregrossi, A. (2012). Spectral analysis in the UV-visible range for revealing the molecular form of combustion-generated carbonaceous species. *Combustion Science and Technology*, 184(7–8), 1219–1231. <https://doi.org/10.1080/00102202.2012.664315>
- [55] Çiplak, Z., Yildiz, N., & Çalimli, A. (2014). Investigation of graphene/Ag nanocomposites synthesis parameters for two different synthesis methods. *Fullerenes Nanotubes and Carbon Nanostructures*, 23(4), 361–370. <https://doi.org/10.1080/1536383X.2014.894025>
- [56] Marcano, D. C., Kosynkin, D. V., Berlin, J. M., Sinitskii, A., Sun, Z., Slesarev, A., Alemany, L. B., Lu, W., & Tour, J. M. (2010). Improved synthesis of graphene oxide. *ACS Nano*, 4(8), 4806–4814. <https://doi.org/10.1021/nn1006368>
- [57] Bansal, A., Kumar, A., Kumar, P., Bojja, S., Chatterjee, A. K., Ray, S. S., & Jain, S. L. (2015). Visible light-induced surface initiated atom transfer radical polymerization of methyl methacrylate on titania/reduced graphene oxide nanocomposite. *RSC Advances*, 5(27), 21189–21196. <https://doi.org/10.1039/c4ra15615c>
- [58] Doluel, E. C., Kartal, U., Dikici, T., & Yurddaskal, M. (2020). Effect of Ag Content on Photocatalytic Activity of Ag@TiO₂/rGO Hybrid Photocatalysts. *Journal of Electronic Materials*, 49(6), 3849–3859. <https://doi.org/10.1007/s11664-020-08102-0>
- [59] Nguyen, V. N., Tran, D. T., Nguyen, M. T., Le, T. T. T., Ha, M. N., Nguyen, M. V., & Pham, T. D. (2018). Enhanced photocatalytic degradation of methyl orange using ZnO/graphene oxide nanocomposites. *Research on Chemical Intermediates*, 44(5), 3081–3095. <https://doi.org/10.1007/s11664-018-3294-3>